



## SAFETY DATA SHEET XL FAIRWAY

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product name** XL FAIRWAY  
**Product number** WAA011

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Soil surfactant.

#### 1.3. Details of the supplier of the safety data sheet

**Supplier** Headland Amenity Ltd  
1 Burr Elm Court  
Main Street  
Caldecote  
Cambridge  
Cambridgeshire  
CB23 7NU  
Tel. +44 (0)1223 491090  
sds.enquiries@headlandamenity.com

**Contact person** Wendy Windscheffel

#### 1.4. Emergency telephone number

**Emergency telephone** +44 (0)1223 491090 (9.00 - 5.00 GMT Mon-Fri)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification

**Physical hazards** Not Classified  
**Health hazards** Not Classified  
**Environmental hazards** Aquatic Chronic 3 - H412

#### 2.2. Label elements

**Hazard statements** H412 Harmful to aquatic life with long lasting effects.  
**Precautionary statements** P273 Avoid release to the environment.  
P501 Dispose of contents/container in accordance with national regulations.  
**Supplemental label information** EUH208: Contains 1, 2-Benzisothiazolin-3-one. May produce an allergic reaction.  
**Contains** 1,2-BENZISOTHIAZOL-3(2H)-ONE

#### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

### SECTION 3: Composition/information on ingredients

## XL FAIRWAY

### 3.2. Mixtures

<b>POLYETHER MODIFIED TRISILOXANE</b>		<b>5-10%</b>
CAS number: 134180-76-0	EC number: 603-798-4	
<b>Classification</b> Acute Tox. 4 - H312 Acute Tox. 4 - H332 Eye Irrit. 2 - H319 Aquatic Chronic 2 - H411	<b>Classification (67/548/EEC or 1999/45/EC)</b> Xn; R20/21. Xi; R36. N; R51/53	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

**Composition comments**      The data shown are in accordance with the latest EC Directives.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>Inhalation</b>	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention.
<b>Skin contact</b>	Remove affected person from source of contamination. Take off contaminated clothing and wash it before reuse. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
<b>Eye contact</b>	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	There may be irritation of the throat with a feeling of tightness in the chest.
<b>Ingestion</b>	There may be irritation of the throat.
<b>Skin contact</b>	There may be mild irritation at the site of contact.
<b>Eye contact</b>	There may be irritation and redness.

#### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	No specific recommendations. If in doubt, get medical attention promptly.
<b>Specific treatments</b>	Eye bathing equipment should be available on the premises.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	The product is not flammable. Use fire-extinguishing media suitable for the surrounding environment.
<b>Unsuitable extinguishing media</b>	No unsuitable extinguishing media known.

#### 5.2. Special hazards arising from the substance or mixture

<b>Hazardous combustion products</b>	Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.
--------------------------------------	--

## XL FAIRWAY

### 5.3. Advice for firefighters

**Protective actions during firefighting** No specific firefighting precautions known. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk.

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet.

### 6.2. Environmental precautions

**Environmental precautions** Avoid the spillage or runoff entering drains, sewers or watercourses. Accidental release into water courses must be alerted to the appropriate regulatory body.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Stop leak if possible without risk. Contain the spillage using bunding. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

### 6.4. Reference to other sections

**Reference to other sections** Collect and dispose of spillage as indicated in Section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Avoid spilling. Avoid contact with skin and eyes. Ensure there is sufficient ventilation of the area. Wash hands thoroughly after handling.

**Advice on general occupational hygiene** Do not eat, drink or smoke when using this product.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a dry, cool and well-ventilated place. Protect from frost. Store at temperatures above 5°C.

### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure Controls/personal protection

### 8.1. Control parameters

### 8.2. Exposure controls

#### Protective equipment



**Appropriate engineering controls** Ensure there is sufficient ventilation of the area.

**Eye/face protection** Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield. Provide eyewash station.

## XL FAIRWAY

<b>Hand protection</b>	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. PVC gloves. PVA gloves. Butyl gloves. Nitrile gloves. Rubber gloves.
<b>Other skin and body protection</b>	Wear appropriate clothing to prevent any possibility of skin contact.
<b>Hygiene measures</b>	DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke. Use appropriate skin cream to prevent drying of skin.
<b>Respiratory protection</b>	No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.
<b>Environmental exposure controls</b>	Refer to specific Member State legislation for requirements under Community environmental legislation.

### SECTION 9: Physical and Chemical Properties

#### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Liquid
<b>Colour</b>	Dark brown.
<b>Odour</b>	Characteristic.
<b>Odour threshold</b>	No information available.
<b>pH</b>	pH (concentrated solution): 9.0 - 10.0
<b>Melting point</b>	No information available.
<b>Initial boiling point and range</b>	No information available.
<b>Flash point</b>	Mixture not classed as flammable
<b>Evaporation rate</b>	No information available.
<b>Evaporation factor</b>	No information available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	Not applicable.
<b>Vapour pressure</b>	No information available.
<b>Vapour density</b>	No information available.
<b>Relative density</b>	1.08 - 1.10
<b>Bulk density</b>	No information available.
<b>Solubility(ies)</b>	Soluble in water.
<b>Partition coefficient</b>	No information available.
<b>Auto-ignition temperature</b>	Not applicable.
<b>Decomposition Temperature</b>	No information available.
<b>Explosive properties</b>	Not considered to be explosive.
<b>Oxidising properties</b>	Does not meet the criteria for classification as oxidising.

#### 9.2. Other information

## XL FAIRWAY

**Other information** No information required.

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product. Stable under recommended transport or storage conditions.

#### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures. Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** No potentially hazardous reactions known.

#### 10.4. Conditions to avoid

**Conditions to avoid** Avoid heat.

#### 10.5. Incompatible materials

**Materials to avoid** Strong oxidising agents. Strong acids.

#### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

**Toxicological effects** No information available.

#### Acute toxicity - dermal

**ATE dermal (mg/kg)** 11,000.0

#### Acute toxicity - inhalation

**ATE inhalation (dusts/mists mg/l)** 15.0

**Inhalation** There may be irritation of the throat with a feeling of tightness in the chest.

**Ingestion** There may be irritation of the throat.

**Skin contact** There may be mild irritation at the site of contact.

**Eye contact** There may be irritation and redness.

### SECTION 12: Ecological Information

#### 12.1. Toxicity

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: 22.4 mg/l, *Onchorhynchus mykiss* (Rainbow trout)

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, 48 hours: 12.0 mg/l, *Daphnia magna*

**Acute toxicity - aquatic plants** ErC<sub>50</sub>, 72 hours: >100 mg/l, Algae

#### 12.2. Persistence and degradability

**Persistence and degradability** No information available.

## XL FAIRWAY

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No information available.

**Partition coefficient** No information available.

### 12.4. Mobility in soil

**Mobility** The product is soluble in water.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

### 12.6. Other adverse effects

**Other adverse effects** Harmful to aquatic organisms.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

## SECTION 14: Transport information

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

### 14.1. UN number

Not applicable.

### 14.2. UN proper shipping name

Not applicable.

### 14.3. Transport hazard class(es)

No transport warning sign required.

### 14.4. Packing group

Not applicable.

### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**

No.

### 14.6. Special precautions for user

Not applicable.

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## XL FAIRWAY

**EU legislation** Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

### SECTION 16: Other information

<b>Revision comments</b>	Supplier contact and emergency contact details updated.
<b>Revision date</b>	04/09/2015
<b>Revision</b>	4
<b>Supersedes date</b>	15/06/2015
<b>Risk phrases in full</b>	R20 Harmful by inhalation. R21 Harmful in contact with skin. R38 Irritating to skin. R41 Risk of serious damage to eyes. R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
<b>Hazard statements in full</b>	H312 Harmful in contact with skin. H319 Causes serious eye irritation. H332 Harmful if inhaled. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.